




3751

CERTIFICATE OF MAILING

I hereby certify that this paper and every paper referred to therein as being enclosed is being placed in First Class Mail addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231 as of today.

 Date: 9/8/2002
Katrina A. Lyon

PATENT
P-2127-40 CIP
Docket No.: GTW-048-99

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of
Tash

: Group Art Unit: 3751

Entitled: IMPROVED TOILET AND
SINK DRAIN PLUNGER

: Examiner: R. Fetsuga

Serial No.: 08/637,894

:

Filing Date: April 25, 1996

:

RECEIVED
SEP 23 2002
TECHNOLOGY CENTER 3700

RESPONSE TO NON-COMPLIANT AMENDMENT UNDER 37 CFR 1.121

Hon. Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Applicant received a Notice of Non-Compliant Amendment Under 37 CFR 1.121. It was requested that a marked up version of the replacement paragraphs be provided. In response, applicant hereby provides revised

Preliminary Amendment, including the required marked up version of the replacement paragraphs of the specification, as well as a marked up version of the claims.

Respectfully submitted,



Katrina A. Lyon
Registration No. 42,821
Attorney for Applicant

Lyon & Harr, LLP
300 Esplanade Drive, Suite 800
Oxnard, California 93036
(805) 278-8855



CERTIFICATE OF MAILING

I hereby certify that this paper and every paper referred to therein as being enclosed is being placed in First Class Mail addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231 as of today.

Katrina A. Lyon Date: 9/8/02

Katrina A. Lyon

Drug w/
H24/E
9/27/02
PATENT
P-2127-40 CIP
Docket No.: GTW-048-99
French

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of
Tash

Group Art Unit: 3751

Entitled: IMPROVED TOILET AND
SINK DRAIN PLUNGER

Examiner: R. Fetsuga

Serial No.: 08/637,894

Filing Date: April 25, 1996

RECEIVED
SEP 23 2002
TECHNOLOGY CENTER 3700

PRELIMINARY AMENDMENT

Hon. Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Before taking any action in this case, please amend the application as follows: